INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES, VOLUME 98 (1990)

AUTHOR INDEX

Alexander, A.J. 107
Almeida, D.P. 147

Baril, M. 87
Bedford, D.K. 179
Blais, J.-C. 155, 269
Bowie, J.H. 135
Boyd, R.K. 107
Burgers, P.C. 247

Cole, R.B. 155, 269
Cooks, R.G. 209
Cretella, R.F. 99
Curtis, J.M. 107

de Koster, C.G. 235

Eckersley, M. 135
Eikenberg, D. 259

Farrar, T.C. 79
Ferguson, E.E. 225

Glosik, J. 225
Grützmacher, H.-F. 259

Harris, F.M. 147
Hayes, R.N. 135
Honovich, J.P. 51
Hudgins, D.M. 69
Hvistendahl, G. 167

Javahery, G. 225

Karrass, S. R1
Kaiser, Jr., R.E. 209
Kim, B.J. 193
Kim, M.S. 193
Kluge, H.-J. 25
Kofel, P. 1
Kontney, M.J. 79
Kulik, W. 247

Langford, M.L. 147
Le, R. 87
Lindinger, M. 25
Lukaszew, R.A. 99

Marchand, P. 87
Markey, S.P. 51
Marrero, J.G. 99
McIver, Jr., R.T. 35
McMahon, T.B. 1

Porter, R.F. 69

Rinehart, K.L. 107

Saastad, O.W. 167
Savickas, P.J. 209
Schwartz, J.C. 209
Schwarz, H. R1
Schweikhard, L. 25
Servant, R. 99
Smith, D. 179

Tabet, J.-C. 155, 269
Terlouw, J.K. 247
Thibault, P. 107
Thielking, G. 259
Twiddy, N.D. 225

Uggerud, E. 167

van Houte, J.J. 235
van Thuijl, J. 235
Versluis, C. 247
Viari, A. 155

Wachter, E.A. 79
Waugh, R.J. 135
Weber, A.L. 69
Wittneben, D. 259

INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES, VOLUME 98 (1990)

SUBJECT INDEX

alkali metal adducts
stabilities of fast atom bombardment desorbed — of pyrimidine molecules, 269
Ar
ion/molecule reactions in a mixture of — and H_2: high pressure mass spectrometry and quantum chemical calculations, 167
$Ar^{+\cdot}$, $Ar_2^{+\cdot}$ and ArH_n^+ (n = 1–3)
variable temperature selected ion flow tube studies of the reactions of — ions with H_2, HD and D_2 at 300 K and 80 K, 179
axial injection of ions
trajectory calculations for — into a magnetic field: overcoming the magnetic mirror effect with an r.f. quadrupole lens, 35

BE/trap configuration
a sector/ion trap hybrid mass spectrometer of —, 209

Cf plasma desorption mass spectrometry
target environment and energy deposition in particle induced desorption: —, secondary ion mass spectrometry and fast atom bombardment mass spectrometry of pyrimidine derivatives, 155
CH_4
reactions of $HNNO^+$ and $NNOH^+$ ions with — and NO as a function of relative kinetic — energy, 225
coherent excitation/detection
— in pulsed ICR-MS, 79
cyclopropenyl system
a study of the astronomically important — by neutralized ion beam techniques, 69

D_2
variable temperature selected ion flow tube studies of the reactions of $Ar^{+\cdot}$, $Ar_2^{+\cdot}$ and ArH_n^+ (n = 1–3) ions with H_2, HD and — at 300 K and 80 K, 179
dipeptides
collision induced dissociations of deprotonated peptides: — containing serine or threonine, 135

electron affinities
measurement of single ionization energies or — of SF_n molecules (n = 1–5) using double-charge-transfer spectroscopy, 147

H_2
ion/molecule reactions in a mixture of Ar and —: high pressure mass spectrometry and quantum chemical calculations, 167
variable temperature selected ion flow tube studies of the reactions of $Ar^{+\cdot}$, $Ar_2^{+\cdot}$ and ArH_n^+ (n = 1–3) ions with —, HD and D_2 at 300 K and 80 K, 179
HD
variable temperature selected ion flow tube studies of the reactions of $Ar^{+\cdot}$, $Ar_2^{+\cdot}$ and ArH_n^+ (n = 1–3) ions with H_2, — and D_2 at 300 K and 80 K, 179
high pressure external ion source
— for Fourier transform ion cyclotron resonance spectrometry, 1
$HNNO^+$
reactions of — and $NNOH^+$ ions with CH_4 and NO as a function of relative kinetic energy, 225

ion kinetic energy
peak shape analysis for collisionally activated dissociation in mass-analyzed — spectrometry, 193
ion trapping motion
characterization of — in the dual cell ion cyclotron resonance spectrometer: experimental and theoretical studies, 51
ion/neutral complexes
effect of the ion stability on the fate of intermediate —, 259
ionization energies
measurement of single — or electron affinities of SF_n molecules (n = 1–5) using double-

charge-transfer spectroscopy, 147
isotopic characterization
a methodology for the — of natural uranium to be used as reference material for thermal ionization mass spectrometry, 99

magnetic mirror effect
trajectory calculations for axial injection of ions into a magnetic field: overcoming the — with an r.f. quadrupole lens, 35

MCH_3 fragments (M=Fe, Co)
metal ion mediated heterolytic cleavage of Si–C bonds resulting in the generation of neutral —, R1

neutralization–reionization
— experiments with a cell containing potassium vapour, 247
$NNOH^+$
reactions of $HNNO^+$ and — ions with CH_4 and — as a function of relative kinetic energy, 225
NO
reactions of $HNNO^+$ and $NNOH^+$ ions with CH_4 and — as a function of relative kinetic energy, 225

oxirane radical cation
gas phase substitution reactions by radical cations I. Reaction of the C–C ring-opened — with pyridine, 235

particle induced desorption
target environment and energy deposition in —: ^{252}Cf plasma desorption mass spectrometry, secondary ion mass spectrometry and fast atom bombardment mass spectrometry of pyrimidine derivatives, 155
peak shape analysis
— for collisionally activated dissociation in mass-analyzed ion kinetic energy spectrometry, 193
peptide ions
collision induced dissociation of —. Part 3. Comparison of results obtained using quadrupole hybrids with those from tandem double-focusing instruments, 107
phase space dynamics
an improved and accurate method for the calculation of trajectories in quadrupole mass filters and ion traps using —, 87
potassium vapour
neutralization–reionization experiments with a cell containing —, 247
pyridine
gas phase substitution reactions by radical cations I. Reaction of the C–C ring-opened oxirane radical cation with —, 235
pyrimidine
stabilities of fast atom bombardment desorbed alkali metal adducts of — molecules, 269
target environment and energy deposition in particle induced desorption: ^{252}Cf plasma desorption mass spectrometry, secondary ion mass spectrometry and fast atom bombardment mass spectrometry of — derivatives, 155

quadrupole–detection FT-ICR mass spectrometry
—, 25

radical cations
gas phase substitution reactions by —
I. Reaction of the C–C ring-opened oxirane radical cation with pyridine, 235

sector/ion trap hybrid mass spectrometer
a — of BE/trap configuration, 209

serine
collision induced dissociations of deprotonated peptides: dipeptides containing — or threonine, 135
SF_n molecules (n = 1–5)
measurement of single ionization energies or electron affinities of SF_n molecules (n = 1–5) using double-charge-transfer spectroscopy, 147
Si–C bonds
metal ion mediated heterolytic cleavage of — resulting in the generation of neutral MCH_3 fragments (M = Fe, Co), R1

threonine
collision induced dissociations of deprotonated peptides: dipeptides containing serine or —, 135

uranium
a methodology for the isotopic characterization of natural — to be used as reference material for thermal ionization mass spectrometry, 99